

DATA SHEET - HIGH IODINE ALL-TRACE TRACE ELEMENT BOLUSES

Presentation

A 107g bolus containing the following trace elements and vitamins:

Active component	Quantity in each bolus	Daily supply over 180 days from 2 boluses
Copper	15,975 mg	177.5 mg
Cobalt	229 mg	2.5 mg
Selenium	243 mg	2.7 mg
Manganese	8,118 mg	90.2 mg
Zinc	13,545 mg	150.5 mg
Iodine	1,701 mg	18.9 mg
Vitamin A	535,860 i.u.	5,954 i.u.
Vitamin D3	107,100 i.u.	1,190 i.u.
Vitamin E	1,071 i.u.	11.9 i.u.

Uses

A dietetic feed for the reduction of the risk of nutritional imbalances in grazing and forage fed animals, particularly in areas of known iodine deficiency. The boluses lie in the reticulum and dissolve from a constant surface area thus providing a continuous and regular supply of nutrients to the animal. High Iodine All-Trace boluses have an active life of 180 days.

Dosage and Administration

Administer two boluses per animal.

High Iodine All-Trace can be given to the following groups of livestock:

Dairy cows at drying off
8-10 weeks pre-calving in beef suckler cows
Growing youngstock
Donor and recipient ET cattle

Always use the recommended Agrimin bolus applicator. A twin bolus applicator is available which saves time and makes administration much easier.

Contra-indications, warnings etc

There is no need to administer additional copper, selenium or iodine during the active life of High Iodine All-Trace (180 days)

MEAT AND MILK WITHHOLDING PERIOD – NIL

Pharmaceutical precautions

Do not administer to cattle weighing less than 150kg
Store in a cool, dry place
Reseal part used packs
Do not drop onto hard surfaces
Keep out of the reach of children

Legal Category

Dietetic feed

Package Quantities

High Iodine All-Trace are packed in units of 20 (enough for 10 cattle)

Further information

High Iodine All-Trace dissolves completely in the reticulo/rumen.